L Number	Hits	Search Text	DB	Time stamp
1	1881	tristate adj buffer	USPAT;	2004/03/07 22:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	İ		IBM_TDB	
2	0	(=======, ==)	USPAT;	2004/03/07 22:18
		or scan\$4) adj2 (line or electrode))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	0	(tristate adj buffer) and dummy adj gate	USPAT;	2004/03/07 22:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-		/	IBM_TDB	
5	0	(tristate adj buffer) and dummy adj line	USPAT;	2004/03/07 22:18
ł			US-PGPUB;	
1			EPO; JPO;	
i	•		DERWENT;	
3	98	 (tristate adj buffer) and dummy	IBM_TDB USPAT;	2004/02/07 22 22
		(orraded adj barrer) and dummy	US-PGPUB;	2004/03/07 22:18
			EPO; JPO;	
			DERWENT;	
			IBM TDB	-
6	42	((tristate adj buffer) and dummy) and	USPAT;	2004/03/07 22:20
		display	US-PGPUB;	2001,03,07 22.20
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
7	1	(((tristate adj buffer) and dummy) and	USPAT;	2004/03/07 22:20
		display) and tristate SAME dummy	US-PGPUB;	
			EPO; JPO;	
	İ		DERWENT;	
1	1001	245/5 22 1	IBM_TDB	
-	1091	345/7,32.ccls.	USPAT;	2003/06/25 15:17
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	2036	359/462-477.ccls.	USPAT;	2003/06/25 15:17
			US-PGPUB;	2003/00/23 13:17
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	687	348/51-60.ccls.	USPAT;	2003/06/25 15:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	E0500	245/6 gg]g	IBM_TDB	0000/05/05 == =
_	58589	345/\$.ccls.	USPAT;	2003/06/25 15:17
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	134	349/15.ccls.	USPAT;	2003/06/25 15:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	298	353/7-8.ccls.	USPAT;	2003/06/25 15:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	61103	345/7,32.ccls. or 359/462-477.ccls. or	IBM_TDB	0000/05/05
	01103	345/7,32.ccis. or 359/462-477.ccis. or 348/51-60.ccis. or 345/\$.ccis. or	USPAT;	2003/06/25 15:18
		349/15.ccls. or 353/7-8.ccls. or	US-PGPUB; EPO; JPO;	
]		,,,,,,,	DERWENT;	
			IBM TDB	

•				
-	1828		USPAT;	2003/06/25 15:19
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic	DERWENT;	
1_	1484	((345/7,32.ccls. or 359/462-477.ccls. or	IBM_TDB USPAT;	2003/06/25 15:20
-	1404	348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	2003/06/25 15:20
1		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display	DERWENT;	
		and display	IBM TDB	
-	511	(((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 15:20
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax	DERWENT;	
		////245/5 20 22 250/460 455 22 25	IBM_TDB	
-	/9	((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or	USPAT;	2003/06/25 17:56
		349/15.ccls. or 353/7-8.ccls.) and	US-PGPUB; EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM TDB	
		eye\$5)		
-	64	(((((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 15:26
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
1		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with eye\$5)) and project\$4	IBM_TDB	
_	36	(((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT:	2003/06/25 15:33
		or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	2003/00/23 15:33
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	·
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM_TDB	
		eye\$5)) and project\$4) and (image\$separat\$4	_	
		or image near separat\$4)		
-	28	1	USPAT;	2003/06/25 15:34
		or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and	US-PGPUB; EPO; JPO;	.
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM TDB	
		eye\$5)) and project\$4) and (image\$separat\$4		
		or image near separat\$4)) and (image\$form\$5		
		or image near form\$3)		
-	36	((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 16:17
		or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and	EPO; JPO;	
	1	(position with (detect\$4 or sens\$3) with	DERWENT; IBM TDB	
	1	eye\$5)) and project\$4) and (image\$separat\$4	15155	
		or (image near separat\$4))		
-	28	1 -	USPAT;	2003/06/25 16:16
		or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
	1	(position with (detect\$4 or sens\$3) with	IBM_TDB	
	1	eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5		
	†	or (image near form\$3))		
_	5		USPAT;	2003/06/25 16:19
	1	or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	=====================================
	1	349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
	1	stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM_TDB	
		eye\$5)) and project\$4) and (image\$separat\$4		
	1	or image near separat\$4)) and (image\$form\$5		
		or (image near form\$3))) and (two adj projectors or first adj projector)		,
L	l.,	Fragerors or rirer and brolector)		

359/462-477.ccls. or 348/51-60.ccls. or US-PGPUB; 348/5.ccls. or 349/15.ccls. or SEPO; JPO; 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect54 or sens53) with eye55) and project54) and (imageSseparat\$4 or image near form33))) and (two adj projectors or first adj projector) and polariz\$4 adj light) and (vertical\$3 or clockwise) adj polarized adj light ((((((((345/7,32.ccls. or 353/462-477.ccls.) and stereoscopic) and display) and parallax) and (position with (detect54 or sens53) with eye55)) and project54) and (imageSseparat\$4 or image near separat\$4)) and (two adj projectors or first adj projector) and polariz\$4 and (vertical\$3 or clockwise) adj polarized adj light 1 (((((((345/7,32.ccls. or 348/51-60.ccls. or 353/462-477.ccls.) or 348/51-60.ccls. or 548/51.ccls. o	-	0			
345/8.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect54 or sens\$3) with eye\$5) and project54) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near separat\$4)) and (image\$form\$5 or (image near separat\$4)) and (image\$form\$5 or (image near separat\$4)) and polariz\$4 adj light and (vertical\$3 or clockwise) adj polarized adj light 0 (((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (two adj projectors or first adj projector) and polariz\$4 and (vertical\$3 or clockwise) adj polarized adj light 1 ((((((((((145/7,32.ccls.		1		•	2003/06/25 15:40
display) and parallal and (position with (detects4 or sens53) with eyes5) and project54) and (imageSseparats4 or image near form53))) and (two adj projectors or first adj projector) and polarizs4 adj light) and (vertical53 or clockwise) adj polarized add) light and (vertical53 or clockwise) adj polarized add) light ((((((((((345/7,32.ccls. or 335/3-8.ccls.) and stereoscopic) and display) and parallal and (position with (detect54 or sens53) with eyes5)) and project54) and (imageSseparat54) and (imageSseparat54) and (vertical53 or clockwise) adj light ((((((((((345/7,32.ccls. or 335/3-8.ccls.) and stereoscopic) and display) and parallax) and polarizs4) and (vertical53 or clockwise) adj polarized adj light (((((((((((345/7,32.ccls. or 348/51-60.ccls. or 345/5.ccls. or 345/5.ccls.) and stereoscopic) and display) and parallax) and (position with (detect54 or sens53) with eyes5)) and project54) and (imageSseparat54) or image near separat54)) and (logation with (detect54 or sens53) with eyes5)) and projector) and polarizs4 adj light ((((((((((((((((((((((((((((((((((((
display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5) and project\$4) and (image\$rorm\$5 or (image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light of ((((((((10145/7,32.ccls. or 348/51-60.ccls. or 349/15.ccls. or 3					
(detect\$4 or sens\$3) with eye\$5)) and project\$4\) and (image\$separat\$4\) or image near separat\$4\)) and (image\$form\$5\) or (image near form\$3))\) and (two adj projectors or first adj projector)\) and polariz\$4\) adj light) and (vertical\$3\) or clockwise) adj polarized adj light - 0 ((((((((((1345/7,32.ccls. or 348/51-60.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4\) or sens\$3\) with eye\$5\)) and project\$4\) and (image\$separat\$4\) or image near separat\$4\) and (image\$separat\$4\) and (vertical\$3\) or clockwise) adj projectors or first adj projector)\) and polariz\$4\) and (vertical\$3\) or clockwise) adj projectors or first adj projector)\) and polariz\$4\) and (vertical\$3\) or clockwise) adj projectors or first adj projector)\) and polariz\$4\) and (vertical\$3\) or clockwise) adj projectors or first adj projector)\) and polariz\$4\) and (vertical\$3\) or clockwise) and project\$4\) and (image\$separat\$4\) ind (image\$form\$5\) or (image near form\$3\))\) and (two adj projectors or first adj projector)\) and polariz\$4\) and project\$4\) and (image\$form\$5\) or (image near separat\$4\))\) and (two adj projectors or first adj projector)\) and polariz\$4\) and project\$4\) and (image\$form\$5\) or (image near separat\$4\))\) and (two adj projectors or first adj projector)\) and polariz\$4\) and (image\$form\$5\) or (image near separat\$4\) and (image\$form\$5\) or (image near separat\$4\) and (image\$form\$5\) or (image near separat\$4\) and (image\$form\$5\) or (image near form\$3\))\) and (two adj projectors or first adj projector)\) and polariz\$4\) and project\$4\) and (image\$form\$5\) or (image near separat\$4\) and (image\$form\$5\) or (image near separat\$4\) and (image\$form\$5\) or (image near form\$3\))\) and (two adj projectors or first adj projector)\) and polariz\$5\) or 348/51-60.ccls. or 345/\$5.ccls. or 348/51-60.ccls. or 345/\$5.ccls. or 349/55.ccls.					
project\$4) and (image\$separat\$4) or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light) and (vertical\$3 or clockwise) adj polarized adj light 0 ((((((((345/7,32.ccls. or 348/51-60.ccls. or display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4\) and (image\$separat\$4\) and (projectors or first adj projector) and polariz\$4\) and (vertical\$3 or clockwise) adj polarized adj light 1 (((((((((345/7,32.ccls. or 348/51-60.ccls. or 348/51-60.ccls. or 348/51-60.ccls. or 348/51-60.ccls. or 348/51-60.ccls. or 349/15.ccls. o				1511_155	
near separats(4) and (image) form(5) or (image near form(5))) and (two adj projectors or first adj projector)) and polariz(4) adj light) and (vertical(5) or clockwise) adj polarized adj light ((((((((((((((((((((((((((((((((((((1				
near form\$31)) and (two adj projectors or first adj projector)) and polarize's adj light) and (vertical\$3 or clockwise) adj polarized adj light (((((((((145/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 349/462-477.ccls. or 348/51-60.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$form\$5 or (image near separat\$4)) and (image\$form\$5 or (image near form\$31)) and (two adj projectors or first adj projector)) and polarized adj light ((((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/5.ccls. or 349/15.ccls. or 335/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4) and (image\$form\$5 or (image near separat\$4)) nd (image\$form\$5 or (image near separat\$4) and (image\$form\$5 or (image near separat\$4) and (image\$form\$5 or (image near separat\$4)) and (image\$form\$5 or (image near separat\$4) and (image\$form\$5 or (image near separat\$4)) nd (image\$form\$5 or (image near separat\$4)) and (image\$form\$5 or (image near separat\$4) and (image\$form\$5 or (image near separat\$4) and (image\$form\$5 or (i		·			
first adj projector) and polariz\$4 adj light) and (vertical\$3 or clockwise) adj polarized adj light (((((((((((((((((((((((((((((((((((near form\$3))) and (two adj projectors or		
polarized adj light (((((((((((((((((((((((((((((((((((1	first adj projector)) and polariz\$4 adj		
O O O O O O O O O O					
359/462-477.ccls. or 348/51-60.ccls. or 348/51-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near form\$3)) and (two adj projectors or first adj projector)) and polarized adj light UspAT; U					
345/8.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$form\$5 or (image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4) and (vertical\$3 or clockwise) adj polarized adj light 1 (((((((((((345/7,32.ccls. or 359/462-477.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light 5 (((((((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-470.ccls. or 348/51-60.ccls. or 0 DERWENT; 0 DE	-	0			2003/06/25 15:40
display) and parallax) and (position with (detect54 or sens53) with eye\$51) and project54) and (image\$separat\$4 or image near form\$31)) and (two adj projectors or first adj projector)) and polariz\$4) and (image\$form\$5 or (image near form\$3)) and (two adj projectors or first adj projector)) and polariz\$4) and (vertical\$3 or clockwise) adj polarized adj light 1 ((((((((345/7,32.ccls. or 359/462-477.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$51) and project\$4) and (image\$form\$5 or (image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light - 5 (((((((((345/7,32.ccls. or 359/462-477.ccls. or 359/462-477.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 - 29 ((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 349/51.ccls. or 359/462-477.ccls				1	
display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 and (vertical\$3 or clockwise) adj polarized adj light 1 ((((((((345/7,32.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5) and project\$4) and (image\$form\$5 or (image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light 1 ((((((((345/7,32.ccls. or 348/51-60.ccls. or 359/462-477.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$form\$5 or (image near form\$3)) and (two adj projectors or first adj projector)) and polariz\$4 2 ((((((((345/7,32.ccls. or 348/51-60.ccls. or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 29 ((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 348/51-60.ccls. or 349/55.ccls. or 359/462-477.ccls. or 349/55.ccls. or 359/462-477.ccls. or 349/55.ccls. or 359/56.ccls.					
(detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4) and (vertical\$3 or clockwise) adj polarized adj light 1 (((((((((345/7,32.ccls. or 348/51-60.ccls. or 359/462-477.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors) or first adj projector)) and polariz\$4 adj light 5 (((((((((345/7,32.ccls. or 348/51-60.ccls. or 355/462-477.ccls. or 348/51-60.ccls. or 355/462-477.ccls. or 348/51-60.ccls. or US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 6 (((((((((345/7,32.ccls. or 348/51-60.ccls. or US-PGPUB; EPO; JPO; DERWENT; IBM_TDB))) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors) or first adj projector)) and polariz\$4 29 ((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
project\$4) and (image\$separat\$4 or image near separat\$4)) and (two adj projectors or first adj projector)) and polariz\$4) and (vertical\$3 or clockwise) adj polarized adj light 1 (((((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light 5 ((((((((((345/7,32.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 349/15.ccls. or 349/15.ccls. or 353/7-8.ccls.)) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light 2003/06/25 15:40 1 USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J				IBM_IDB	
near separat\$4) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4) and (vertical\$3 or clockwise) adj polarized adj light					
near form\$3])) and (two adj projectors or first adj projector)) and polariz\$4) and (vertical\$3 or clockwise) adj polarized adj light ((((((((((((((((((((((((((((((((((((
first adj projector)) and polariz\$4) and (vertical\$3 or clockwise) adj polarized adj light (((((((((((((((((((((((((((((((((((near form\$3))) and (two adi projectors or		
(vertical\$3 or clockwise) adj polarized adj light					
light					
359/462-477.ccls. or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light (((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 353/7-8.ccls.)) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 (((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 359/462-477.cc			light		
345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light - 5 ((((((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 (((((((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 353/7-8.ccls.) and 29 (((((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 353/7-8.ccls.) and	-	1		1	2003/06/25 15:40
353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light 5 ((((((((((345/7,32.ccls. or 359/462-477.ccls. or 349/15.ccls. or 348/51-60.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 ((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 353/7-8.ccls.) and 29 ((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or US-PGPUB; EPO; JPO;			·	•	
display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light - 5 (((((((((((345/7,32.ccls. or 359/462-477.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or EPO; JPO; 353/7-8.ccls.)) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 - 29 ((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/7-8.ccls.)) and EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					
<pre>(detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light 5 (((((((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 (((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or US-PGPUB; 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;</pre>					
project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light - USPAT; 359/462-477.ccls. or 348/51-60.ccls. or US-PGPUB; 345/\$.ccls. or 349/15.ccls. or EPO; JPO; 353/7-8.ccls.) and stereoscopic) and DERWENT; display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 - 29 ((((((345/7,32.ccls. or 359/462-477.ccls. USPAT; or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB; 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;			display) and parallax) and (position with	1BM_TDB	
near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light 5 ((((((((((345/7,32.ccls. or 348/51-60.ccls. or 359/462-477.ccls. or 349/15.ccls. or EPO; JPO; JEWENT; display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 29 (((((((345/7,32.ccls. or 359/462-477.ccls. USPAT; or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB; 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;			(detect\$4 or sens\$3) with eye\$5)) and		
near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 adj light 5 ((((((((((345/7,32.ccls. or 359/462-477.ccls. or 348/51-60.ccls. or 349/15.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 (((((((345/7,32.ccls. or 359/462-477.ccls. USPAT; or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB; 349/15.ccls. or 353/7-8.ccls.) and					
first adj projector)) and polariz\$4 adj light (((((((((((((345/7,32.ccls. or 359/462-477.ccls. or 349/15.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 (((((((345/7,32.ccls. or 359/462-477.ccls. USPAT; or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB; 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;			near form\$3))) and (two adi projectors or		
light ((((((((((((((((((((((((((((((((((((
5 ((((((((((((((((((((((((((((((((((((
345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 (((((((345/7,32.ccls. or 359/462-477.ccls. USPAT; or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;	-	5		USPAT;	2003/06/25 15:41
353/7-8.ccls.) and stereoscopic) and display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 - 29 (((((((345/7,32.ccls. or 359/462-477.ccls. USPAT; or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB; 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;			359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	
display) and parallax) and (position with (detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 - 29 (((((((345/7,32.ccls. or 359/462-477.ccls. USPAT; or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB; 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;	'			EPO; JPO;	
<pre>(detect\$4 or sens\$3) with eye\$5)) and project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 - 29 (((((((345/7,32.ccls. or 359/462-477.ccls. USPAT; or 348/51-60.ccls. or 345/\$.ccls. or 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;</pre>					
project\$4) and (image\$separat\$4 or image near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 - 29 (((((((345/7,32.ccls. or 359/462-477.ccls. USPAT; or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB; 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;				IBM_TDB	
near separat\$4)) and (image\$form\$5 or (image near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 - 29 (((((((345/7,32.ccls. or 359/462-477.ccls. USPAT; or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB; 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;			(detect\$4 or sens\$3) with eye\$5)) and		
near form\$3))) and (two adj projectors or first adj projector)) and polariz\$4 29 (((((((345/7,32.ccls. or 359/462-477.ccls. USPAT; or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB; 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;			near separat(4)) and (image(form(5) or (image)		
first adj projector)) and polariz\$4 - 29 (((((((345/7,32.ccls. or 359/462-477.ccls. USPAT; or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB; 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;					
- 29 (((((((345/7,32.ccls. or 359/462-477.ccls. USPAT; or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB; 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;					
or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB; 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;	-	29		USPAT:	2003/06/25 16:17
349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;					12,00,20
			349/15.ccls. or 353/7-8.ccls.) and	,	
			stereoscopic) and display) and parallax) and	-	
(position with (detect\$4 or sens\$3) with IBM_TDB				IBM_TDB	
eye\$5)) and project\$4) and (image\$separat\$4					
or image near separat\$4)) and (image\$form\$5					
or (image near form\$3) or dispers\$4 or condens\$3)					
	_	36		HSPAT.	2003/06/25 16:18
or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB;					2003/00/23 10:10
349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;					
stereoscopic) and display) and parallax) and DERWENT;					
(position with (detect\$4 or sens\$3) with IBM_TDB			(position with (detect\$4 or sens\$3) with		
eye\$5)) and project\$4) and (image\$separat\$4	1			_	
or (image near separat\$4) or polirizing adj	1				
plate or polirizer)			-		
		36	· · · · · · · · · · · · · · · · · · ·		2003/06/25 16:18
or 348/51-60.ccls. or 345/\$.ccls. or US-PGPUB; 349/15.ccls. or 353/7-8.ccls.) and EPO; JPO;	-				
	-		stereogenic) and dienlaw and namellaw		
stereoscopic) and display) and parallax) and DERWENT; (position with (detect\$4 or sens\$3) with IBM TDB	-		(position with (detect\$4 or cene\$2) with		
eye\$5)) and project\$4) and (image\$separat\$4	-	1	eye\$5)) and project\$4) and (imageSseparat\$4	1017-100	
or (image near separat\$4) or polirizing adj	_		, ., . , . , , p		
plate or polirizer)) and (image\$separat\$4 or			or (image near separat\$4) or polirizing adi		
(image near separat\$4) or polirizing adj			or (image near separat\$4) or polirizing adj plate or polirizer)) and (image\$separat\$4 or		
plate or polirizer)	-		or (image near separat\$4) or polirizing adj plate or polirizer)) and (image\$separat\$4 or (image near separat\$4) or polirizing adj		

•				
	29	(((((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 16:19
		or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	2003/06/23 16:19
		349/15.ccls. or 353/7-8.ccls.) and	1	
			EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM_TDB	
		eye\$5)) and project\$4) and (image\$separat\$4	-	
	1	or (image near separat\$4) or polirizing adj		
	1	plate or polirizer)) and (image\$separat\$4 or		
		(image near separat\$4) or polirizing adj		
	-	plate or polirizer)) and		
		(((((((((345/7,32.ccls. or 359/462-477.ccls.		
		or 348/51-60.ccls. or 345/\$.ccls. or		
		349/15.ccls. or 353/7-8.ccls.) and		İ
		stereoscopic) and display) and parallax) and		
		(position with (detect\$4 or sens\$3) with		
1		eye\$5)) and project\$4) and (image\$separat\$4		
		or image near separat\$4)) and (image\$form\$5	1	
		or (image near form\$3) or dispers\$4 or		
	_	condens\$3))	i	
_	5	(((((((((345/7,32.ccls. or	USPAT;	2003/06/25 16:23
		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	
		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
		display) and parallax) and (position with	IBM TDB	
		(detect\$4 or sens\$3) with eye\$5)) and	_	
		project\$4) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
	j	polirizer)) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (((((((345/7,32.ccls. or	i	
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and		1
	ļ.	display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		
		near form\$3) or dispers\$4 or condens\$3)))		
		and (((((((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and		
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and	1	
		project\$4) and (image\$separat\$4 or image		
	-	near separat\$4)) and (image\$form\$5 or (image	}	
	1	near form\$3))) and (two adj projectors or	1	
		first adj projector)) and polariz\$4)	1	
	1	, , P, C, , UIIU PULULLANT,		T.

		1////////		
-	2	(((((((((((345/7,32.ccls. or	USPAT;	2003/06/25 16:26
	ļ	359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	
1	1	345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
	1	display) and parallax) and (position with	IBM_TDB	
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or	1	
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and		ļ
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
İ		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		
		near form\$3) or dispers\$4 or condens\$3)))		
		and ((((((((((345/7,32.ccls. or		
	[359/462-477.ccls. or 348/51-60.ccls. or		
1		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and	}	
		display) and parallax) and (position with		
	1	(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image	ł	
		near separat\$4)) and (image\$form\$5 or (image		
		near form\$3))) and (two adj projectors or	1	
	1	first adj projector)) and polariz\$4)) and		
1		different near parallax		
-	5	-	USPAT;	2003/06/25 16:25
1		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	2003, 00, 23 20.23
		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	
	1	353/7-8.ccls.) and stereoscopic) and	DERWENT;	
		display) and parallax) and (position with	IBM TDB	
-		(detect\$4 or sens\$3) with eye\$5)) and	1511_155	
		project\$4) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or	1	
	1	polirizer)) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and		
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		1
		near form\$3) or dispers\$4 or condens\$3)))		
	1	and (((((((((((345/7,32.ccls. or	1	
1	1	359/462-477.ccls. or 348/51-60.ccls. or		l i
1		345/\$.ccls. or 349/15.ccls. or		
1	1	353/7-8.ccls.) and stereoscopic) and	1	
		display) and parallax) and (position with		
	1	(detect\$4 or sens\$3) with eye\$5)) and		
1		project\$4) and (image\$separat\$4 or image		
1		near separat\$4)) and (image\$form\$5 or (image		
		near form\$3))) and (two adj projectors or	1	.
1		first adj projector)) and polariz\$4)) and	1	
1		parallax		
! -	2056	345/\$.ccls. and projector	USPAT;	2003/06/25 16:25
}			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
L			IBM_TDB	

•				
-	10	((((((((((((((((((((((((((((((((((((((USPAT;	2003/06/25 16:25
		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	
		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
		display) and parallax) and (position with	IBM TDB	
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (image\$separat\$4 or (image		
			1	
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		1
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and		
		display) and parallax) and (position with]
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		1
		near separat\$4)) and (image\$form\$5 or (image		
		near form\$3) or dispers\$4 or condens\$3)))		
		and projector]
_	2		USPAT;	2003/06/25 16:28
	1	359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	2003,00,23 10:28
		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
		dignlary and parallary and (manifelar with		[
		display) and parallax) and (position with	IBM_TDB	ļ l
		(detect\$4 or sens\$3) with eye\$5)) and	1	
		project\$4) and (image\$separat\$4 or (image		į
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or	1	
		polirizer)) and ((((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and		
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		l i
		near form\$3) or dispers\$4 or condens\$3)))		
		and (((((((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		1
		353/7-8.ccls.) and stereoscopic) and		
ŀ				
		display) and parallax) and (position with		
Ì		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		[
		near form\$3))) and (two adj projectors or		
		first adj projector)) and polariz\$4)) and	1	
		(differ\$3 or chang\$3 or var\$6) near parallax		
_	3	((((((((((((((((((((((((((((((((((((((USPAT;	2003/06/25 16:42
		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	
		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	1
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
		display) and parallax) and (position with	IBM_TDB	
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or	1	
		polirizer)) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (((((((345/7,32.ccls. or		j l
		359/462-477.ccls. or 348/51-60.ccls. or	1	
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and		
	1	display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and	1	
		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		
1		near forms?) or disposes or condenses.	1	
		near form\$3) or dispers\$4 or condens\$3)))		
		and projector) and (differ\$3 or chang\$3 or	1	
,	Ī	var\$6) near parallax	1	I

•				
-	1	((((((((((((((((((((((((((((((((((((((USPAT;	2003/06/25 16:43
		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	
		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	
ļ		353/7-8.ccls.) and stereoscopic) and	DERWENT;	1
		display) and parallax) and (position with	IBM TDB	
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (image\$separat\$4 or (image		l
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (((((((345/7,32.ccls. or		Ì
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
		343/3.ccis. Of 349/15.ccis. Of		
		353/7-8.ccls.) and stereoscopic) and		
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		
		near form\$3) or dispers\$4 or condens\$3)))	1	
		and projector) and circular\$2 near	1	
	_	(polarized adj light)	1	
-	1	(((((((((((345/7,32.ccls. or	USPAT;	2003/06/25 16:44
		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	<u>}</u>
1		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;	1
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
		display) and parallax) and (position with	IBM_TDB	
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (image\$separat\$4 or (image		
		near separat\$4) or polirizing adj plate or		
		polirizer)) and (((((((345/7,32.ccls. or		
		359/462-477.ccls. or 348/51-60.ccls. or		
		345/\$.ccls. or 349/15.ccls. or		
		353/7-8.ccls.) and stereoscopic) and]
		display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
		near separat\$4)) and (image\$form\$5 or (image		
		near form\$3) or dispers\$4 or condens\$3)))		[
	İ	and projector) and circular\$2 near2		
		(polarized adj light)		
-	3	((((((((((((((((((((((((((((((((((((((USPAT:	2003/06/25 16:47
		359/462-477.ccls. or 348/51-60.ccls. or	US-PGPUB;	-100,00,20 10.47
		345/\$.ccls. or 349/15.ccls. or	EPO; JPO;]
		353/7-8.ccls.) and stereoscopic) and	DERWENT;	
		display) and parallax) and (position with	IBM TDB	
		(detect\$4 or sens\$3) with eye\$5)) and	-2123	
		project\$4) and (image\$separat\$4 or (image		
	1	near separat\$4) or polirizing adj plate or	Į	
		polirizer)) and (image\$separat\$4 or (image		
	1	near separat\$4) or polirizing adj plate or		
	1	polirizer)) and (((((((345/7,32.ccls. or		į į
	8	359/462-477.ccls. or 348/51-60.ccls. or		
	1	345/\$.ccls. or 349/15.ccls. or		
	1	353/7-8.ccls.) and stereoscopic) and		
	1	display) and parallax) and (position with		
		(detect\$4 or sens\$3) with eye\$5)) and		
		project\$4) and (image\$separat\$4 or image		
	1	near separat\$4)) and (image\$form\$5 or (image	}	
		near form\$3) or dispers\$4 or condens\$3)))		
		and circular\$2 near2 (polarized adj light)		
	J	(horarised ad) 11dut)		1

			•	
-	3	(((((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 16:48
	İ	or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM TDB	
			1511-105	
		eye\$5)) and project\$4) and (image\$separat\$4		
1		or (image near separat\$4) or polirizing adj		
		plate or polirizer)) and (image\$separat\$4 or		
1		(image near separat\$4) or polirizing adj		
		plate or polirizer)) and circular\$2 near2		
		(polarized adj light)		ļ
l <u>-</u>	خ ا	((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 17:01
		or 348/51-60.ccls. or 345/\$.ccls. or		2003/06/25 17:01
			US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	ŀ
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM_TDB	1
		eye\$5)) and project\$4) and circular\$2 near2	_	
		(polarized adj light)		
i	2		USPAT;	2003/06/25 16:51
1	_	ous a resident		2003/00/23 16:51
			US-PGPUB;	
[EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 17:00
	1	or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
1		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
•		(position with (detect\$4 or sens\$3) with	IBM TDB	
		eye\$5)) and project\$4) and circular\$2 near2	TPM_TDB	
			1	
		(polarized adj light)) and vertical		
-	4	(((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 17:00
ļ		or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
ļ		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM TDB	
		eye\$5)) and project\$4) and circular\$2 near2	1511_155	
			į	
		(polarized adj light)) and (vertical or	ļ	
		horizontal or clockwise or counterclockwise)		
-	0	1	USPAT	2003/06/25 17:03
-	7	,	USPAT;	2003/06/25 17:09
		US-6414681-\$ or US-5872590-\$ or	US-PGPUB	
	1	US-5855425-\$).did. or (US-20020030888-\$ or		
		US-20020030887-\$).did.		
-	2		USPAT;	2003/06/25 17:19
		US-6414681-\$ or US-5872590-\$ or		2003/00/23 17:19
			US-PGPUB;	
<u>[</u>		US-5855425-\$).did. or (US-20020030888-\$ or	EPO; JPO;	
1		US-20020030887-\$).did.) and frequency	DERWENT;	
	1		IBM_TDB	
-	2	(((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 17:20
	!	or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
1		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM TDB	,
	1		TDM_TDB	
	1	eye\$5)) and project\$4) and circular\$2 near2		
	_	(polarized adj light)) and frequency		- , <u>. , .</u>
-	1	((((((((((((((((((((USPAT;	2003/06/25 17:20
		or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM TDB	
i		eye\$5)) and project\$4) and (image\$separat\$4		
		or (image near separat\$4) or polirizing adj		
		plate or polirizer)) and (image\$separat\$4 or		
		(image near separat\$4) or polirizing adj		
		plate or polirizer)) and frequency near3		
L		alternat\$3		
			 -	

	·			
-	14	((((((((((((((((((((((((((((((((((((USPAT;	2003/06/25 17:29
ļ		or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM TDB	
		eye\$5)) and project\$4) and (image\$separat\$4		
		or (image near separat\$4) or polirizing adj		•
	ļ _i			
	ļ	plate or polirizer)) and (image\$separat\$4 or		
1	ì	(image near separat\$4) or polirizing adj		
	1	plate or polirizer)) and frequency		
-	1	(((((((((345/7,32.ccls. or 359/462-477.ccls.	USPAT;	2003/06/25 17:30
		or 348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
		(position with (detect\$4 or sens\$3) with	IBM TDB	
			TEM_TOB	
	ŀ	eye\$5)) and project\$4) and (image\$separat\$4		
	ŀ	or (image near separat\$4) or polirizing adj		
		plate or polirizer)) and (image\$separat\$4 or		
		(image near separat\$4) or polirizing adj		
		plate or polirizer)) and first adj2		
		frequency		
_		((((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 17:43
	*		1	2003/00/25 17:43
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	
	1	first adj2 frequency	IBM_TDB	1
-	1	(((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 17:45
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and (first adj	DERWENT;	
			1	
	_	image) near3 frequency	IBM_TDB	
_	5	"58" and (alternating with image with	USPAT;	2003/06/25 17:48
	-	frequency)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	osorio.r\$.in.	USPAT;	2003/06/25 17:47
		000110.19.111.		2003/06/25 17:47
			US-PGPUB;	
	1		EPO; JPO;	
	I		DERWENT;	
			IBM_TDB	
-	0	osorio/r\$.in.	USPAT;	2003/06/25 17:47
1			US-PGPUB;	
1			EPO; JPO;	
		·	DERWENT;	
1			,	
	_	//245/7 201	IBM_TDB	
_	7	((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 17:49
1	1	348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
	1	349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
	1	stereoscopic) and (alternating with image	DERWENT;	
	1	with frequency)	IBM TDB	
-	79	((((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 18:00
	· · · ·	348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	2003,00,23 18:00
	l	349/15.ccls. or 353/7-8.ccls.) and		
		stances of 353//-0.CCIS.) and	EPO; JPO;	
		stereoscopic) and display) and parallax) and	DERWENT;	. <u>.</u> .
		((position with (detect\$4 or sens\$3) with	IBM_TDB	[
	1	eye\$5) or ((half\$face or half adj face) adj	1	
	t	detect\$4))		
-	0	((((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 18:01
	1	348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	= = = = = = = = = = = = = = =
	1	349/15.ccls. or 353/7-8.ccls.) and		
1	1	gtorooggonia\ and dianlow\ and annular \	EPO; JPO;	
	1	stereoscopic) and display) and parallax) and	DERWENT;	
		(half\$face or half adj face) adj detect\$4	IBM_TDB	
-	0	(((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 18:01
	1	348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
}		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and display) and (half\$face or	DERWENT;	
	ł	half adj face) adj detect\$4	IBM TDB	
L			T TOIL TOB	L

	·			
-	0	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT;	2003/06/25 18:08
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and (half\$face or half adj	DERWENT;	
		face) adj detect\$4	IBM_TDB	
-	1		USPAT;	2003/06/25 18:09
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	1
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and inclined adj magnetic adj	DERWENT;	
		field	IBM_TDB	
-	1	((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 18:13
}		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
	ł	stereoscopic) and inclined near magnetic adj	DERWENT;	
		field	IBM TDB	
-	54	((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 18:13
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and magnetic adj sensor	DERWENT;	
			IBM TDB	
-	35	(((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 18:13
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	=====
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and magnetic adj sensor) and	DERWENT;	
Ì		orientation	IBM TDB	
_	35	((((345/7,32.ccls. or 359/462-477.ccls. or	USPAT;	2003/06/25 18:14
		348/51-60.ccls. or 345/\$.ccls. or	US-PGPUB;	2003,00,23 10.14
		349/15.ccls. or 353/7-8.ccls.) and	EPO; JPO;	
		stereoscopic) and magnetic adj sensor) and	DERWENT;	
		orientation) and position	IBM TDB	
_	1792		USPAT;	2003/07/03 11:23
			US-PGPUB;	2003/07/03 11:23
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
_	72	(tristate adj buffer) and 345?\$.ccls.	USPAT;	2003/06/27 10:32
	'-	(cribbace adj barrer) and 545.5.ccrs.	US-PGPUB;	2003/06/2/ 10:32
			EPO; JPO;	
			DERWENT; IBM TDB	
_	72	(tristate adj buffer) and 345/\$.ccls.	USPAT;	2003/06/27 10:32
	, -	terrocate adj barrer, and 545/5.ccrs.	US-PGPUB;	2003/06/2/ 10:32
}			EPO; JPO;	
			DERWENT;	
_	3	(tristate adj buffer) and 323/\$.ccls.	IBM_TDB	2002/06/27 10 20
	,	(cristate adj burrer) and 323/\$.ccis.	USPAT;	2003/06/27 10:32
	1		US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
-	41	((tristate adj buffer) and 345/\$.ccls.) and	IBM_TDB	2002/06/27 32 52
	1	power	USPAT;	2003/06/27 10:52
		Power	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
_	0	(((tristate add huffor) and 245/6 ==3=)	IBM_TDB	2002/05/25 15
		',',',,,,,,,,	USPAT;	2003/06/27 10:52
		power) and se adj power	US-PGPUB;	
			EPO; JPO;	1
			DERWENT;	
_	3	(((tristate adj buffer) and 345/\$.ccls.) and	IBM_TDB	2002/05/25
			USPAT;	2003/06/27 10:53
		power) and first adj power	US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
	_	///trigtato and buffor and action and	IBM_TDB	0000/05/55
		(((tristate adj buffer) and 345/\$.ccls.) and	USPAT;	2003/06/27 10:56
	1	power) and (gate adj line) near2 selection	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	L	<u> </u>	IBM_TDB	<u> </u>

-	0	(((tristate adj buffer) and 345/\$.ccls.) and power) and ((row or scan\$4 or gate) adj	USPAT; US-PGPUB;	2003/06/27 10:57
		line) near3 select\$3	EPO; JPO;	
			DERWENT; IBM TDB	
-	1	(((tristate adj buffer) and 345/\$.ccls.) and	USPAT;	2003/06/27 10:57
		power) and selection adj pulse	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	1	(((tristate adj buffer) and 345/\$.ccls.) and	<pre>IBM_TDB USPAT;</pre>	2003/06/27 10:58
		power) and fly\$back adj period	US-PGPUB;	2003/06/27 10:58
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	31	(((tristate adj buffer) and 345/\$.ccls.) and power) and frame	USPAT; US-PGPUB;	2003/06/27 10:59
		power, and rrame	EPO; JPO;	
			DERWENT; IBM TDB	
-	1	(((tristate adj buffer) and 345/\$.ccls.) and	USPAT;	2003/06/27 10:58
		power) and frame adj period	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	1067	(tristate adj buffer) and power	IBM_TDB USPAT;	2003/06/27 10:59
	100,	(tristate day surrer, and power	US-PGPUB;	2003/00/27 10:59
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	56	((tristate adj buffer) and power) and first adj power	USPAT; US-PGPUB;	2003/06/27 11:03
		day power	EPO; JPO;	
			DERWENT; IBM_TDB	
-	43	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/06/27 11:01
		adj power) and second adj power	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	1	((((tristate adj buffer) and power) and	<pre>IBM_TDB USPAT;</pre>	2003/06/27 11:01
		first adj power) and second adj power) and	US-PGPUB;	2003/00/2/ 22:02
		third adj power	EPO; JPO; DERWENT;	
			IBM_TDB	
_	2	((((tristate adj buffer) and power) and first adj power) and second adj power) and	USPAT; US-PGPUB;	2003/06/27 11:03
		(gate or scan\$4 or row) adj line	EPO; JPO;	
			DERWENT; IBM TDB	
-	41	((tristate adj buffer) and power) and first adj power adj (source or supply)	USPAT;	2003/06/27 11:26
		and bower and (source or subbia)	US-PGPUB; EPO; JPO;	
			DERWENT;	
-	34	((tristate adj buffer) and power) and second	_IBM_TDB USPAT;	2003/06/27 13:27
		adj power adj (source or supply)	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	4	(((tristate adj buffer) and power) and	IBM_TDB USPAT;	2003/06/27 13:30
		second adj power adj (source or supply)) and	US-PGPUB;	1000,00,2, 10.00
		display	EPO; JPO; DERWENT;	
			IBM_TDB	
-	32	(((tristate adj buffer) and power) and first adj power adj (source or supply)) and	USPAT; US-PGPUB;	2003/06/27 13:30
		(((tristate adj buffer) and power) and	EPO; JPO;	
		second adj power adj (source or supply))	DERWENT; IBM TDB	
			<u> </u>	<u> </u>

_	4	<pre>((((tristate adj buffer) and power) and first adj power adj (source or supply)) and (((tristate adj buffer) and power) and second adj power adj (source or supply))) and ((((tristate adj buffer) and power) and second adj power adj (source or supply)) and</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/27 13:30
-	4963	display)	USPAT; US-PGPUB;	2003/07/03 11:23
-	1552	(tri\$state adj buffer) and display	EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/07/03 11:24
			US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	1323	((tri\$state adj buffer) and display) and driv\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 11:25
-	570	(((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 11:38
-	22	((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and first adj circuit	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 11:39
-	17	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and first adj circuit) and second adj circuit	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 13:20
-	3	((((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and first adj circuit) and second adj circuit) and (tft or thin-film or thin	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 13:23
-	22	adj film) ((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 13:29
-	19	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/07/03 13:28
	2	<pre>((((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power) and n-channel</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 13:24
-	2		IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 13:24
-	6	((((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power) and 345/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/07/03 15:06
-	38		IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/07/03 13:30
			DERWENT; IBM_TDB	·

Γ-	37		USPAT;	2003/07/03 13:30
		<pre>driv\$3) and (tft or thin-film or thin adj film)) and (power or voltage or potential)</pre>	US-PGPUB; EPO; JPO; DERWENT;	
			IBM_TDB	
-	21	(((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4) adj2	USPAT; US-PGPUB;	2003/07/03 13:31
		driv\$3)) and (tft or thin-film or thin adj	EPO; JPO;	
		film)) and (power or voltage or potential)	DERWENT;	
	8	((((((tri\$state adj buffer) and display) and	IBM_TDB USPAT;	2003/07/03 13:35
		driv\$3) and ((gate or signal or scan\$4) adj2	US-PGPUB;	
		driv\$3)) and (tft or thin-film or thin adj film)) and (power or voltage or potential))	EPO; JPO; DERWENT;	
		and 345/\$.ccls.	IBM_TDB	
-	13	(((((tri\$state adj buffer) and display) and driv\$3) and (tft or thin-film or thin adj	USPAT; US-PGPUB;	2003/07/03 14:34
		film)) and (power or voltage or potential))	EPO; JPO;	
		and 345/\$.ccls.	DERWENT;	
_	2	6337678.pn.	IBM_TDB USPAT;	2003/07/03 14:35
		-	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	47	6337678.URPN. ("4202041" "4293734" "4385366"	USPAT USPAT	2003/07/03 14:34 2003/07/03 14:35
	1	"4448837" "4529959" "4914624"	OSPAI	2003/07/03 14:33
		"4916740" "5159159" "5165897" "5222895" "5241308" "5412189"		
		"5442788" "5479528" "5518078"		
		"5576727" "5581670" "5583478" "5587937" "5617114" "5623582"		
		"5587937" "5617114" "5623582" "5625576" "5633660" "5643087"		
		"5691748" "5691898" "5694013"		
		"5694150" "5701140" "5709219" "5719561" "5734373" "5736978"		
		"5739811" "5742278" "5767839"		
		"5798752" "5805140" "5828197" "5831408" "5844560" "5875311"		'
		"5880411" "5952998" "5999168"		
_	2	"6046726" "6100874").PN. 6046726.pn.	USPAT;	2003/07/03 14:35
		-	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	12 12		USPAT USPAT	2003/07/03 14:36 2003/07/03 14:37
-	4	("4988981" "5148154" "5184319"	USPAT	2003/07/03 14:37
_	1	"5381158").PN. ((((((tri\$state adj buffer) and display)	USPAT;	2003/07/03 14:51
		and driv\$3) and ((gate or signal or scan\$4)	US-PGPUB;	
		adj2 driv\$3)) and (tft or thin-film or thin adj film)) and power) and 345/\$.ccls.) and n	EPO; JPO; DERWENT;	
		adj channel	IBM_TDB	
-	1	((((((tri\$state adj buffer) and display) and driv\$3) and ((gate or signal or scan\$4)	USPAT;	2003/07/03 15:35
		adj2 driv\$3)) and (tft or thin-film or thin	US-PGPUB; EPO; JPO;	
		adj film)) and power) and 345/\$.ccls.) and n-channel	DERWENT;	
-	4	I	IBM_TDB USPAT;	2003/07/06 18:25
		and driv\$3) and ((gate or signal or scan\$4) adj2 driv\$3)) and (tft or thin-film or thin	US-PGPUB;	
		adj film)) and power) and 345/\$.ccls.) and p	EPO; JPO; DERWENT;	
		-	IBM_TDB	0000/05/00 55 5
	2	driv\$3) and ((gate or signal or scan\$4) adj2	USPAT; US-PGPUB;	2003/07/03 15:35
		driv\$3)) and (tft or thin-film or thin adj	EPO; JPO;	
		film)) and (power or voltage or potential)) and n-channel	DERWENT; IBM TDB	
				L

.,				
-	4	(((((tri\$state adj buffer) and display) and driv\$3) and (tft or thin-film or thin adj	USPAT; US-PGPUB;	2003/07/03 15:36
		film)) and (power or voltage or potential))	EPO; JPO;	
		and n-channel	DERWENT;	
			IBM_TDB	
-	4963	tri\$state adj buffer	USPAT;	2003/07/06 19:30
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	0	(tri\$state adj buffer) near3 (gate adj line)	USPAT:	2003/07/06 18:28
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1.0	//baitaba adi buffan)2 //	IBM_TDB	2002/07/05 10 25
-	18	((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and power adj	USPAT; US-PGPUB;	2003/07/06 18:36
		(source or supply)	EPO; JPO;	
		(Source of Supply)	DERWENT;	
		-	IBM TDB	
-	2	(((tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 18:45
1		signal or scan\$4) adj line)) and power adj	US-PGPUB;	
		(source or supply)) and first adj power adj	EPO; JPO;	
		(source or supply)	DERWENT;	
_	1	((((tri\$state adj buffer) near3 ((gate or	IBM_TDB USPAT;	2003/07/06 18:46
1		signal or scan\$4) adj line)) and power adj	US-PGPUB;	2000,07,00 10:40
		(source or supply)) and first adj power adj	EPO; JPO;	,
		(source or supply)) and tft	DERWENT;	
	_	(44)	IBM_TDB	
_	1	(((tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 18:46
		signal or scan\$4) adj line)) and power adj (source or supply)) and tft	US-PGPUB; EPO; JPO;	
		(source or suppry), and ere	DERWENT;	
			IBM TDB	
-	2518	"96" and tft	USPAT;	2003/07/06 18:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	1	((tri\$state adj buffer) near3 ((gate or	IBM_TDB USPAT;	2003/07/06 18:47
	_	signal or scan\$4) adj line)) and tft	US-PGPUB;	2003/07/00 10.47
			EPO; JPO;	
			DERWENT;	
	_	//pridepole and buffers)	IBM_TDB	0000/07/55 55
-	1	((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and (tft or	USPAT; US-PGPUB;	2003/07/06 18:48
		thin-film or thin adj film)	EPO; JPO;	
			DERWENT;	
!			IBM_TDB	
-	39	, ,,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	USPAT;	2003/07/06 18:48
1		signal or scan\$4) adj line)) and transistor	US-PGPUB;	
			EPO; JPO;	
		4.00	DERWENT; IBM TDB	
-	2	((((tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 19:02
1		signal or scan\$4) adj line)) and power adj	US-PGPUB;	-555, 57, 55 15.02
1		(source or supply)) and first adj power adj	EPO; JPO;	
1		(source or supply)) and transistor	DERWENT;	
_	10	///tricatato adi buffon) manga //	IBM_TDB	2002/07/25 55 55
⁻	10	(((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and power adj	USPAT; US-PGPUB;	2003/07/06 19:01
		(source or supply)) and transistor	EPO; JPO;	
		, or outpris, and oranorocor	DERWENT;	
			IBM TDB	
-	16	"10" and display	USPAT;	2003/07/06 19:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L		<u> </u>	IBM_TDB	

-	3	((((tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 19:01
		signal or scan\$4) adj line)) and power adj	US-PGPUB;	
		(source or supply)) and transistor) and	EPO; JPO;	
		display	DERWENT;	
		5404000 VIDDY	IBM_TDB	
-	8	5434823.URPN.	USPAT	2003/07/06 19:03
-	4	("5258951" "5287310" "5305284" "5329489").PN.	USPAT	2003/07/06 19:04
_	5	5936455.URPN.	USPAT	2002/07/06 30:05
_	5	("4804865" "4837460" "5198699"	USPAT	2003/07/06 19:05 2003/07/06 19:06
		"5220205" "5568085").PN.	OSFAI	2003/07/08 19:06
-	6	5633599.URPN.	USPAT	2003/07/06 19:08
-	6	("Re34916" "5077521" "5369645"	USPAT	2003/07/06 19:09
		"5371712" "5392298" "5495487").PN.		1003, 01, 00 13103
-	34	5434823.URPN. or (("5258951" "5287310"	USPAT;	2003/07/06 19:11
		"5305284" "5329489").PN.) or 5936455.URPN.	US-PGPUB;	
		or (("4804865" "4837460" "5198699"	EPO; JPO;	
		"5220205" "5568085").PN.) or 5633599.URPN.	DERWENT;	
		or (("Re34916" "5077521" "5369645"	IBM_TDB	
	ł	"5371712" "5392298" "5495487").PN.)		1
-	4	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/07/06 19:13
	1	"5305284" "5329489").PN.) or 5936455.URPN.	US-PGPUB;	
]	or (("4804865" "4837460" "5198699"	EPO; JPO;	
		"5220205" "5568085").PN.) or 5633599.URPN.	DERWENT;	
		or (("Re34916" "5077521" "5369645" "5371712" "5392298" "5495487").PN.)) and	IBM_TDB	
	1	"5371712" "5392298" "5495487").PN.)) and		
-	0	display ((5434823.URPN. or (("5258951" "5287310"	USPAT;	2003/07/06 19:13
		"5305284" "5329489").PN.) or 5936455.URPN.	US-PGPUB;	2003/07/06 19:13
		or (("4804865" "4837460" "5198699"	EPO; JPO;	i
	1	"5220205" "5568085").PN.) or 5633599.URPN.	DERWENT;	
		or (("Re34916" "5077521" "5369645"	IBM_TDB	
		"5371712" "5392298" "5495487").PN.)) and	_	
		display) and tri\$state adj buffer	1	
-	4	((5434823.URPN. or (("5258951" "5287310"	USPAT;	2003/07/06 19:19
		"5305284" "5329489").PN.) or 5936455.URPN.	US-PGPUB;	
		or (("4804865" "4837460" "5198699"	EPO; JPO;	
		"5220205" "5568085").PN.) or 5633599.URPN.	DERWENT;	
		or (("Re34916" "5077521" "5369645"	IBM_TDB	
		"5371712" "5392298" "5495487").PN.)) and		
	30	display) and buffer		2002/05/25 22 22
-	30	((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and display	USPAT;	2003/07/06 19:20
		signal of scansa, adj line,, and display	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
1 -	6	(US-6426670-\$ or US-5198699-\$ or	USPAT	2003/07/06 19:25
		US-5220205-\$ or US-5633599-\$ or US-5936455-\$		_000,07,00 19.25
		or US-5434823-\$).did.	1	
-	1	((US-6426670-\$ or US-5198699-\$ or	USPAT;	2003/07/06 19:25
		US-5220205-\$ or US-5633599-\$ or US-5936455-\$	US-PGPUB;	
		or US-5434823-\$).did.) and display	EPO; JPO;	
!			DERWENT;	
			IBM_TDB	
-	0	(((ŪS-6426670-\$ or US-5198699-\$ or	USPAT;	2003/07/06 19:27
		US-5220205-\$ or US-5633599-\$ or US-5936455-\$	US-PGPUB;	
		or US-5434823-\$).did.) and display) and	EPO; JPO;	
		tri\$state adj buffer	DERWENT;	
1_	_	///tricatato adi buffan)	IBM_TDB	2002/07/25
-	9	(((tri\$state adj buffer) near3 ((gate or signal or scan\$4) adj line)) and power adj	USPAT;	2003/07/06 19:28
		(source or supply)) and display	US-PGPUB; EPO; JPO;	
		Thouse or supply () and display	DERWENT;	
			IBM TDB	
-	وا	((((tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 19:28
		signal or scan\$4) adj line)) and power adj	US-PGPUB;	2003/07/00 19.20
		(source or supply)) and display) and	EPO; JPO;	
1		(((tri\$state adj buffer) near3 ((gate or	DERWENT;	
		signal or scan\$4) adj line)) and power adj	IBM TDB	
		(source or supply))	_	
			<u> </u>	L

	1 00	1. 1. 55	1	1 0 0 0 7 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0
-	96	(tri\$state adj buffer) near3 ((gate or	USPAT;	2003/07/06 19:30
		signal or scan\$4) adj line)	US-PGPUB;]
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
-	1552	(tri\$state adj buffer) and display	USPAT;	2003/07/06 19:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	243	, , , , , , , , , , , , , , , , , , ,	USPAT;	2003/07/06 19:31
		345/\$.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(((tri\$state adj buffer) and display) and	USPAT;	2003/07/06 19:31
		345/\$.ccls.) and gate adj line	US-PGPUB;	
			EPO; JPO;	
	ĺ		DERWENT;	
			IBM TDB	
-	3	6124840.URPN.	USPAT	2003/07/06 19:38
-	12	("4804951" "4870399" "5465054"	USPAT	2003/07/06 19:38
		"5510748" "5528256" "5572211"		
		"5578957" "5604449" "5682175"		
		"5748165" "5838289" "5907314").PN.		
-	15	6124840.URPN. (("4804951" "4870399"	USPAT;	2003/07/06 19:39
		"5465054" "5510748" "5528256"	US-PGPUB;	
		"5572211" "5578957" "5604449"	EPO; JPO;	
		"5682175" "5748165" "5838289"	DERWENT;	
		"5907314").PN.)	IBM TDB	
-	0	(6124840.URPN. (("4804951" "4870399"	USPAT;	2003/07/06 19:40
		"5465054" "5510748" "5528256"	US-PGPUB;	
		"5572211" "5578957" "5604449"	EPO; JPO;	
		"5682175" "5748165" "5838289"	DERWENT;	
		"5907314").PN.)) and tri\$state adj buffer	IBM TDB	
-	8	(US-5936455-\$ or US-5633599-\$ or	USPAT	2003/07/06 20:58
		US-5220205-\$ or US-6052104-\$ or US-6124840-\$		=======
		or US-6426670-\$ or US-5198699-\$ or		
		US-5434823-\$).did.		
-	4		USPAT;	2003/07/06 20:58
		US-5220205-\$ or US-6052104-\$ or US-6124840-\$	US-PGPUB;	
		or US-6426670-\$ or US-5198699-\$ or	EPO; JPO;	
		US-5434823-\$).did.) and n-channel	DERWENT;	
	1	· · · · · · · · · · · · · · · · · · ·	IBM TDB	
-	4	(((US-5936455-\$ or US-5633599-\$ or	USPAT;	2003/07/06 21:13
	_	US-5220205-\$ or US-6052104-\$ or US-6124840-\$	US-PGPUB;	
		or US-6426670-\$ or US-5198699-\$ or	EPO; JPO;	
		US-5434823-\$).did.) and n-channel) and	DERWENT;	
		p-channel	IBM TDB	
-	2	((((US-5936455-\$ or US-5633599-\$ or	USPAT;	2003/07/06 21:14
		US-5220205-\$ or US-6052104-\$ or US-6124840-\$	US-PGPUB;	2005, 07, 00 21.14
1		or US-6426670-\$ or US-5198699-\$ or	EPO; JPO;	
1		US-5434823-\$).did.) and n-channel) and	DERWENT;	
		p-channel) and tri\$state adj buffer	IBM TDB	
		b owww.cr, and cridacate and butter	T DIA T D D	